14	13	12	11	10	9	ω	7	9	S	4	ω	2	1	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
36	ь	P	1767	392	751	Ţ	3	15	15	<b>L</b> —4	Ţ	35	2107	Hits
(second near5 ((black white) near5 board))	5864408.pn.	358/474.ccls. and ((first second two) adj ((white calibration) adj (strip member board)))	358/474.ccls.	358/461.ccls.	358/406.ccls.	ADF and (first second two) adj ((white calibration) adj (strip member board))	("4578711"   "4622594"   "4717963").PN.	4907097.URPN.	4907097.URPN.	(358/496.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))	(358/496.ccls or 358/497.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))	two) adj ((white dj (strip member	(strip	Search Text
USPAT	USPAT; US-PGPUB; EPO; JPO	USPAT; US-EGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT	USPAT	USPAT	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	DBs
2003/06/09	2002/12/23	2002/12/23	2002/12/23	2002/12/23	2002/12/23	12	2002/12/21	2002/12/21	2002/12/21 13:12	2002/12/21 12:24	2002/12/21 12:23	2003/10/21 09:53	2002/12/19	Time Stamp
														Comments
														Error Definition

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	ы	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:52		
16	BRS	1	ite) ct\$3 le t\$4))	USPAT	2003/06/09		
17	BRS	101	(reference near5 (board strip)) and ((correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp)) near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:11		
18	BRS	0	6323933.URPN.	USPAT	2003/06/09 11:51		
19	BRS	4	("5146351"   "5745253"   "6088138"   "6122077").PN.	USPAT	2003/06/09 11:51		
20	BRS	1	6032864.pn.	USPAT	2003/06/09 12:11		
21	BRS	1	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp) near5 (intensity quantity bright\$4))	USPAT	2003/06/09 13:51		
22	BRS	Н	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:53		
23	BRS	15401	<pre>(correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))</pre>	USPAT	2003/06/09		
24	BRS	343	((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))) and (image adj (reader scanner))	USPAT	2003/06/09		

							Error
	Type	Hits	Search Text	DBs	Time Stamp	Comments	Definition
			(((correct\$3 adjust\$3 control\$3) near5 (light near5				
25	BRS	<b>⊢</b>	quantity ) and (image adj anner))) and (second ite black) near5	USPAT	2003/06/09 13:17		
$\int$			BHQ)		2003/06/09		
26	BRS	<b></b>	5864408.pn.	USPAT	13:17		
27	BRS	2	5864408.URPN.	USPAT	2003/06/09 13:17		
			4958825"   "507 077585"   "5100 104109"   "5313				·
28	BRS	18	"5379095"   "5485263"   "5513017"   "5523848"   "5537214"   "5537219"   "5638189"   "5717200"   "5856879"   "5864408"   "5878319"   "5909290").PN.	USPAT	2003/06/09 13:39		
29	BRS	H	((second near5 ((black white) near5 board))) and ((light illumination) near7 control)	USPAT	2003/06/09	-	
30	BRS	818108	<pre>(change vary adjust control) same (light lamp illumination intensity bright\$4)</pre>	USPAT	2003/06/09 16:16		
31	BRS	144763	(change vary adjust control) near7 (light lamp illumination U intensity bright\$4)	USPAT	2003/06/09		
32	BRS	1445	((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))	USPAT	2003/06/09 14:00		
ω ω	BRS	1434	(((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and (second (black white reference))	USPAT	2003/06/09 14:01		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
34	BRS	97	(((change vary adjust control) near? (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and ((second (black white reference)) near? board)	USPAT	2003/06/09 15:09		
35	BRS	0	<pre>difference near7 ((light near7 second) near5 (white adj board))</pre>	USPAT	2003/06/09		
36	BRS	0	<pre>difference same ((light near7 second) near5 (white adj board))</pre>	USPAT	2003/06/09 15:12		
37	BRS	70	358/475.ccls. and ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 16:08		
38	BRS	12	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and (358/475.ccls.) and (second near3 (white black))	USPAT	2003/06/09 16:17		
39	BR.S	239	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	USPAT	2003/06/10 08:48		
40	BRS	240	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	USPAT	2003/06/10 08:49		
41	BRS	0	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near3 (white adj board))	USPAT	2003/06/10 08:51		

	50 BRS	49 BRS	48 BRS	47 BRS 1	46 BRS	45 BRS	44 BRS 7	43 BRS 1	42 BRS 0	PdAL
13	40	יי	1		11	13	7			Hits
((first second two) adj ((white calibration) adj (strip member board)) ) and ((correct\$3 adjust\$3) same	<pre>(first second two) adj ((white calibration) adj (strip member board))</pre>	5099341.pn.	5099341.pn. and ((first second) near7 (white adj reference))	5099341.pn.	5099341.URPN.	("4660082"   "4829379"   "4868685"   "4870501"   "4916549"   "4989100"   "5062144"   "5070414"   "5099341"   "5101281"   "5105286"   "5146351"   "5157518").PN.	5249068.URPN.	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and ((first second) near7 ((white reference black) near5 board))	(((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near3 ((white reference black) adj board))	Search Text
USPAT; US-PGPUB; EPO; JPO	USPAT; US-PGPUB; EPO; JPO	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	DBs
2003/10/21	2003/10/21 09:54	2003/06/13 11:03	2003/06/11 16:51	2003/06/11 16:49	2003/06/10 11:57	2003/06/10	2003/06/10	2003/06/10 08:53	2003/06/10 08:52	Time Stamp
										Comments
										Error Definition

54 BRS 6389 55 BRS 4 56 BRS 3832 56 BRS 0	BRS BRS	BRS BRS	BRS S	BRS		53 BRS 1	52 BRS 1	Туре ні
decreas\$3 increas\$3) ((light illumination near5 (voltage power luminenance))) ((first second two) a ((white calibration) (strip member board)) ((adjust\$3 control\$4 increas\$3) same ((lig illumination lamp) ne (voltage power intens luminenance)))  picture adj reader (picture adj reader) flux) and cannon	decreas\$3 increas\$3) ((light illumination near5 (voltage power luminenance)))  ((first second two) a ((white calibration) (strip member board)) ((adjust\$3 control\$4 increas\$3) same ((lig illumination lamp) ne (voltage power intens luminenance)))  picture adj reader  (picture adj reader)	decreas\$3 increas\$3) ((light illumination near5 (voltage power luminenance)))  ((first second two) a ((white calibration) (strip member board)) ((adjust\$3 control\$4 increas\$3) same ((lig illumination lamp) ne (voltage power intens luminenance)))  picture adj reader	decreas\$3 increas\$3) ((light illumination near5 (voltage power luminenance)))  ((first second two) a ((white calibration) (strip member board)) ((adjust\$3 control\$4 increas\$3) same ((lig illumination lamp) ne (voltage power intens luminenance)))	decreas\$3 increas\$3) ((light illumination near5 (voltage power luminenance)))	വ	((first second two) adj ((white calibration) adj (strip member board))) ((adjust\$3 control\$4 dec increas\$3) with ((light illumination lamp) near5 (voltage power intensity luminenance)))	((first second two) adj ((white calibration) adj (strip member board))) ((adujust\$3 control\$4 (decreas\$3 increasing) wi ((light illumination lam near5 (voltage power int luminenance)))	Hits Search Text
with uspar; us-pgpuB; adj adj add decreas\$3 USPAT; US-pgPUB; pht EPO; JPO  sity  USPAT; US-pgPUB; pht EPO; JPO  USPAT; US-pgPUB; EPO; JPO  USPAT; US-pgPUB; EPO; JPO  USPAT; US-pgPUB; EPO; JPO  USPAT; US-pgPUB; EPO; JPO	censity EPO; JPO ensity EPO; JPO and creas\$3 USPAT; US- EPO; JPO USPAT; US- EPO; JPO USPAT; US- EPO; JPO USPAT; US- EPO; JPO	censity EPO; JPO ensity EPO; JPO censity EPO; JPO gand Signal Sepo; JPO Signal Sepo; S	cols4 (ensity EPO; JP ensity EPO; JP and and creas\$3 USPAT; EPO; JP	USPAT; EPO; JE	)	dj adj ) and decreas\$3 USPAT; US-PGPUB; ht EPO; JPO ar5	adj adj ) and USPAT; US-PGPUB; with EPO; JPO lamp) intensity	DBs
; 2003/10/21 11:09 11:09 ; 2003/10/21 12:41 ; 2003/10/21 ; 2003/10/21 ; 2003/10/21 ; 2003/10/21 ; 2003/10/21 ; 2003/10/21						2003/10/21	2003/10/21	Time Stamp
								Comments
								Error Definition

r5 (board strip and ((control\$3 uspat st\$3) with inat\$3 lamp)) ference) near5 aper chart) and uspat (light\$3 (light\$3 (light\$3 and first and uspat and (white adjust\$3 uspat and (adjust\$3 uspat and (uspat and uspat us		13:11	USPAT	5822052.pn.	<b>—</b>	BRS	72
r5 (board strip and (white EPO; JPO st\$3) with inat\$3 lamp)) ference) near5 ference) near5 aper chart)) and USPAT (light\$3 libration) near5 libration) near5 libration) near5 aper chart)) and USPAT and first and USPAT and first and USPAT and (white adjust\$3 and (white adjust\$3 and (white adjust\$3 and (white adjust\$3 light and plate paper)) and light and USPAT uspAT and plate paper) light and light and uspAT uspAT uspAT and light and uspAT uspAT		2003/11/18	USPAT	6 <b>4"</b> )	2	IS&R	71
r) and (white EPO; JPO  r5 (board strip and ((control\$3 uspat inat\$3) with inat\$3 lamp))  ference near5 aper chart) and uspat (light\$3 uspat chart)) and uspat uspat and first and uspat and first and uspat and (white adjust\$3 and (white adjust\$3 uspat (adjust\$3 uspat lamp))  and (white adjust\$3 uspat uspat and (white adjust\$3 uspat uspat lamp))  uspat u		2003/10/23	USPAT	and light d circuit	1	BRS	70
r) and (white EPO; JPO  r5 (board strip and ((control\$3 uspAT inat\$3 lamp))  ference) near5 aper chart)) and uspAT ((light\$3 uspar chart)) and uspAT ((light\$3 uspAT uspAT uspAT and first and uspAT and (white adjust\$3 and (white adjust\$3 and (white adjust\$3 uspAT and (plate paper))  and (plate paper) uspAT uspAT and (plate paper) uppAT and (plate		2003/10/23	USPAT	5099341.pn.	1	BRS	69
n) and (white EPO; JPO  r5 (board strip and ((control\$3 uspat st\$3) with inat\$3 lamp))  ference near5 aper chart)) and uspat (light\$3 uspat chart)) and uspat chart)) and uspat and first and uspat and first and uspat and (white adj uspat uspat) uspat uspat and (white adj uspat uspat) uspat uspat and (white adj uspat uspat uspat and (white adj uspat uspa		2003/10/23		(white late ist\$3 ower lig	39	BRS	8
n) and (white EPO; JPO  rs (board strip and (control\$3 uspan st\$3) with inat\$3 lamp))  ference) near5 ference) near5 aper chart)) and uspan (light\$3 uspan uspan (light\$3 libration) near5 aper chart)) and rrect\$3 uspan (light\$3 uspan librat\$3 uspan and first and uspan and first and uspan librat\$3		2003/10/23 08:50		y (whit plate	45	BRS	67
n) and (white EPO; JPO  r5 (board strip and ((control\$3 uspat st\$3) with inat\$3 lamp))  ference) near5 aper chart)) and uspat (light\$3 uspat chart)) and uspat (light\$3 uspat chart)) and uspat (light\$3 uspat street\$3 uspat (light\$3 uspat shart)) and uspat (light\$3 uspat shart))  and first and uspat		2003/10/22 15:49	•	75.ccls. and first ) and calibrat\$3	57	BRS	66
n) and (white EPO; JPO  rs (board strip and ((control\$3 USPAT st\$3) with inat\$3 lamp))  ference) near5 aper chart)) and uspat (light\$3 uspation) near5 libration) near5 aper chart)) and uspat (light\$3 uspation) and uspat (light\$3 uspation) and uspat (light\$3 uspation) and uspat (light\$3 uspation) and uspation)		2003/10/22 15:48		and first	288	BRS	65
n) and (white EPO; JPO  r5 (board strip and ((control\$3 uspat st\$3) with inat\$3 lamp))  ference) near5 ference) near5 aper chart)) and uspat (light\$3 uspat chart)) and libration) near5 libration) near5 libration) near5 libration) near5 (light\$3 uspat uspat (light\$3 uspat chart)) and uspat (light\$3 uspat chart)) and uspat chart))		2003/10/22 15:48		358/475.ccls.	351	BRS	64
n) and (white EPO; JPO  r5 (board strip and ((control\$3 uspat inat\$3 lamp)) ference) near5 ference) near5 aper chart)) and uspat (light\$3 uspat uspat same))		2003/10/22 15:47	USPAT	j calibration) ip paper chart) 3 correct\$3 with (light\$3 3 lamp))	on	BRS	63
n) and (white EPO; JPO  r5 (board strip and ((control\$3 USPAT st\$3) with inat\$3 lamp))		2003/10/22 15:41	USPAT	((first adj reference) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	ထ တ	BRS	62
anon) and (white EPO; JPO		2003/10/22 15:11	USPAT	<pre>(reference near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))</pre>	257	BRS 7	61
adj reader) and USPAT: US-PGPUB;		2003/10/21 12:43	USPAT; US-PGPUB; EPO; JPO	(((picture adj reader) and flux) and canon) and (white adj board)		BRS 1	60
Search Text DBs Time Stamp Comments Definition	Comment		DBs	earch	Hits	Туре	

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73	BRS	2	5822052.URPN.	USPAT	2004/05/12 13:12		
74	BRS	δ	("4680644"   "5212376"   "5278674"   "5285293"   "5592306"   "5636040").PN.	USPAT	2004/05/12		
75	BRS	13	(shading adj correction) and ((first and second) adj white)	USPAT	2004/05/12 15:05		
76	BRS	y	((shading adj correction) and ((first and second) adj white)) and (gain offset)	USPAT	2004/05/12 15:06		
77	BRS	ហ	((shading adj correction) and ((first and second) adj white)) and gain	USPAT	2004/05/12 15:06		